

2014/2015 SINGLE ELECTRICITY MARKET PROPOSED TRANSMISSION LOSS ADJUSTMENT FACTORS - MARKET PARTICIPANTS																																
Market Participant - Transmission Connected	Unit ID TSO	Unit ID SEMO	Transmission Station	kV	Month																											
					October		November		December		January		February		March		April		May		June		July		August				September			
					Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night		
ARDNACRUSHA UNIT 1	AA1	GU_400200	ARDNACRUSHA	110	0.982	0.983	0.982	0.982	0.981	0.980	0.981	0.979	0.981	0.981	0.982	0.983	0.986	0.988	0.990	0.991	0.989	0.989	0.993	0.991	0.988	0.989	0.989	0.990				
ARDNACRUSHA UNIT 2	AA2	GU_400201	ARDNACRUSHA	110	0.982	0.983	0.982	0.982	0.981	0.980	0.981	0.979	0.981	0.981	0.982	0.983	0.986	0.988	0.990	0.991	0.989	0.989	0.993	0.991	0.988	0.989	0.989	0.990				
ARDNACRUSHA UNIT 3	AA3	GU_400202	ARDNACRUSHA	110	0.982	0.983	0.982	0.982	0.981	0.980	0.981	0.979	0.981	0.981	0.982	0.983	0.986	0.988	0.990	0.991	0.989	0.989	0.993	0.991	0.988	0.989	0.989	0.990				
ARDNACRUSHA UNIT 4	AA4	GU_400203	ARDNACRUSHA	110	0.982	0.983	0.982	0.982	0.981	0.980	0.981	0.979	0.981	0.981	0.982	0.983	0.986	0.988	0.990	0.991	0.989	0.989	0.993	0.991	0.988	0.989	0.989	0.990				
AGHADA UNIT 1	AD1	GU_400180	AGHADA	220	0.982	0.980	0.983	0.983	0.980	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.986	0.988	0.995	0.993	0.990	0.989	1.002	0.998	0.993	0.991	0.995	0.993				
AGHADA UNIT 2	AD2	GU_400850	LONGPOIN	220	0.982	0.980	0.983	0.983	0.980	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.986	0.988	0.995	0.993	0.990	0.989	1.002	0.998	0.993	0.991	0.995	0.993				
Athea 1 WF	AH1	GU_401380	ATHEA	110	0.975	0.977	0.976	0.977	0.975	0.975	0.973	0.973	0.974	0.973	0.974	0.974	0.977	0.979	0.979	0.982	0.980	0.982	0.983	0.983	0.979	0.982	0.979	0.982				
Arthurstown Phase2	AR2	GU_400570	KILTEEL	110	0.998	0.995	0.998	0.995	1.000	0.998	0.999	0.997	0.999	0.996	0.999	0.996	0.998	0.997	0.997	0.996	0.996	0.996	0.999	0.997	1.000	1.000	0.996	0.995				
Arklow Bank 1 WF	ARB	GU_401020	ARKLOW	110	0.995	0.994	0.995	0.994	0.993	0.994	0.992	0.995	0.995	0.995	0.994	0.995	0.995	0.995	0.996	0.995	0.997	0.995	0.997	0.997	0.998	0.995	0.998	0.997				
AGHADA CT11	AT1	GU_400181	AGHADA	220	0.982	0.980	0.983	0.983	0.980	0.979	0.982	0.981	0.979	0.979	0.981	0.981	0.987	0.988	0.995	0.993	0.990	0.990	1.002	0.998	0.993	0.991	0.995	0.993				
AGHADA CT12	AT2	GU_400182	AGHADA	220	0.982	0.980	0.983	0.983	0.980	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.986	0.988	0.995	0.993	0.990	0.989	1.002	0.998	0.993	0.991	0.995	0.993				
AGHADA CT14	AT4	GU_400183	AGH_AT14	220	0.982	0.980	0.983	0.983	0.980	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.986	0.988	0.995	0.993	0.990	0.989	1.002	0.998	0.993	0.991	0.995	0.993				
Ballybane 1 WF	BA1	GU_400650	BALLYLICKY	110	0.983	0.980	0.984	0.983	0.982	0.980	0.985	0.982	0.982	0.980	0.982	0.981	0.985	0.985	0.990	0.989	0.988	0.986	0.998	0.992	0.988	0.987	0.991	0.989				
Ballincollig Hill 1 WF	BCW	GU_401000	TRALEE	110	0.980	0.977	0.980	0.978	0.979	0.977	0.980	0.976	0.979	0.976	0.979	0.976	0.982	0.984	0.985	0.986	0.985	0.985	0.989	0.987	0.984	0.985	0.986	0.986				
Bindoo 1 WF	BD1	GU_400050	RATRUSSAN	110	1.002	0.995	1.001	0.995	1.003	0.996	1.003	0.997	1.003	0.997	1.002	0.996	1.000	0.995	0.999	0.993	1.000	0.993	0.997	0.992	0.998	0.992	0.999	0.993				
Beale 1 WF	BE1	GU_400680	TRIEN	110	0.981	0.977	0.981	0.977	0.980	0.977	0.981	0.977	0.981	0.976	0.979	0.976	0.983	0.984	0.986	0.987	0.986	0.986	0.990	0.987	0.984	0.985	0.987	0.987				
Boggeragh 1 WF	BG1	GU_400910	BOGGERAGH	110	0.978	0.976	0.979	0.979	0.977	0.976	0.977	0.976	0.976	0.975	0.977	0.976	0.981	0.983	0.987	0.987	0.984	0.984	0.993	0.989	0.985	0.985	0.988	0.986				
Beam Hill 1 WF	BM1	GU_401600	TRILLICK	110	0.985	0.974	0.986	0.974	0.987	0.975	0.989	0.976	0.988	0.977	0.986	0.977	0.982	0.980	0.981	0.977	0.978	0.973	0.975	0.971	0.976	0.971	0.978	0.972				
Bawnmore 1 WF	BN1	GU_401150	MACROOM	110	0.982	0.980	0.983	0.983	0.981	0.980	0.982	0.981	0.980	0.979	0.981	0.981	0.986	0.988	0.993	0.992	0.989	0.989	0.999	0.995	0.990	0.990	0.993	0.991				
BRUREE HYDRO	BR1	GU_400670	CHARLEVILLE	110	0.987	0.984	0.989	0.987	0.987	0.984	0.988	0.985	0.987	0.985	0.987	0.986	0.992	0.992	0.997	0.996	0.994	0.993	1.002	0.998	0.995	0.994	0.998	0.995				
Booltiagh 1 WF	BT1	GU_401560	BOOLTIAGH	110	0.979	0.980	0.980	0.980	0.979	0.978	0.977	0.976	0.979	0.977	0.979	0.978	0.981	0.983	0.983	0.985	0.984	0.985	0.986	0.986	0.982	0.985	0.983	0.986				
Booltiagh 2 WF	BT2	GU_401570	BOOLTIAGH	110	0.979	0.980	0.980	0.980	0.979	0.978	0.977	0.976	0.979	0.977	0.979	0.978	0.981	0.983	0.983	0.985	0.984	0.985	0.986	0.986	0.982	0.985	0.983	0.986				
Bruckana 1 WF	BU1	GU_401520	LISHEEN	110	0.984	0.978	0.985	0.980	0.984	0.980	0.985	0.980	0.985	0.980	0.984	0.980	0.993	0.990	0.993	0.989	0.990	0.985	0.994	0.987	0.990	0.986	0.992	0.986				
Ballywater 1 WF	BW1	GU_400130	CRANE	110	0.995	0.992	0.995	0.993	0.992	0.992	0.991	0.993	0.994	0.993	0.995	0.994	0.995	0.995	0.997	0.996	0.996	0.996	0.999	0.997	0.996	0.996	0.997	0.996				
Ballymartin 1 WF	BX1	GU_401550	WATERFORD	110	0.995	0.992	0.996	0.994	0.990	0.990	0.989	0.992	0.993	0.993	0.994	0.994	0.997	0.997	1.001	0.999	1.000	0.998	1.005	1.001	1.000	0.999	1.002	0.999				
Ballymartin 2 WF	BX2	GU_401551	WATERFORD	110	0.995	0.992	0.996	0.994	0.990	0.990	0.989	0.992	0.993	0.993	0.994	0.994	0.997	0.997	1.001	0.999	1.000	0.998	1.005	1.001	1.000	0.999	1.002	0.999				
Ballycadden 1 WF	BY1	GU_401290	LODGEWOOD	110	0.994	0.992	0.994	0.992	0.991	0.991	0.989	0.992	0.993	0.992	0.993	0.993	0.994	0.994	0.996	0.996	0.995	0.995	0.998	0.997	0.996	0.996	0.996	0.995				
Ballycadden 2 WF	BY2	GU_401360	LODGEWOOD	110	0.994	0.992	0.994	0.992	0.991	0.991	0.989	0.992	0.993	0.992	0.993	0.993	0.994	0.994	0.996	0.996	0.995	0.995	0.998	0.997	0.996	0.996	0.996	0.995				
Cark 1 WF	CAR	GU_401180	LETRKENY	110	0.992	0.984	0.993	0.983	0.994	0.984	0.995	0.985	0.994	0.986	0.993	0.986	0.989	0.991	0.988	0.988	0.986	0.984	0.982									

2014/2015 SINGLE ELECTRICITY MARKET PROPOSED TRANSMISSION LOSS ADJUSTMENT FACTORS - MARKET PARTICIPANTS																																
Market Participant - Transmission Connected	Unit ID TSO	Unit ID SEMO	Transmission Station	kV	Month																											
					October		November		December		January		February		March		April		May		June		July		August				September			
					Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night		
GREAT ISLAND UNIT 4	GI4	GU_400762	GREAT ISLAND	220	0.994	0.992	0.994	0.993	0.989	0.990	0.987	0.991	0.992	0.992	0.993	0.993	0.995	0.995	0.999	0.998	0.997	0.997	1.002	0.999	0.998	0.997	1.000	0.997				
Glanlee Windfarms 1 WF	GLC	GU_400060	GLANLEE	110	0.972	0.971	0.973	0.973	0.971	0.970	0.971	0.970	0.970	0.970	0.971	0.971	0.975	0.977	0.980	0.980	0.978	0.978	0.985	0.983	0.978	0.979	0.980	0.980				
Garracummer 1 WF	GM1	GU_401310	CAUTEEN	110	0.985	0.983	0.986	0.984	0.984	0.982	0.985	0.982	0.985	0.982	0.985	0.983	0.990	0.989	0.993	0.991	0.991	0.989	0.996	0.991	0.991	0.989	0.993	0.990				
Golagh 1 WF	GO1	GU_401170	GOLAGH	110	0.991	0.984	0.991	0.983	0.992	0.983	0.993	0.983	0.992	0.986	0.991	0.986	0.989	0.991	0.988	0.988	0.985	0.983	0.981	0.981	0.982	0.981	0.983	0.982				
Gibbet Hill 1 WF	GT1	GU_401340	LODGEWOOD	110	0.994	0.992	0.994	0.992	0.991	0.991	0.989	0.992	0.993	0.992	0.993	0.993	0.994	0.994	0.996	0.996	0.995	0.995	0.998	0.997	0.996	0.996	0.996	0.995				
Glenough 1 WF	GU1	GU_401250	CAUTEEN	110	0.985	0.983	0.986	0.984	0.984	0.982	0.985	0.982	0.985	0.982	0.985	0.983	0.990	0.989	0.993	0.991	0.991	0.989	0.996	0.991	0.991	0.989	0.993	0.990				
Grouse Lodge 1 WF	GW1	GU_401090	RATHKEAL	110	0.978	0.978	0.978	0.978	0.977	0.977	0.977	0.975	0.977	0.975	0.977	0.977	0.980	0.983	0.983	0.986	0.983	0.985	0.986	0.986	0.982	0.985	0.983	0.986				
HUNTSTOWN CCGT UNIT	HN2	GU_400540	HUNTSTOW	220	0.994	0.995	0.996	0.996	0.996	0.996	0.995	0.996	0.996	0.996	0.995	0.995	0.994	0.996	0.992	0.996	0.994	0.997	0.993	0.996	0.994	0.997	0.994	0.998				
HUNTSTOWN CCGT UNIT	HNC	GU_400480	HUNTSTOW	220	0.995	0.996	0.996	0.996	0.996	0.997	0.996	0.997	0.997	0.996	0.995	0.996	0.994	0.996	0.993	0.996	0.994	0.997	0.994	0.996	0.994	0.997	0.995	0.998				
Knock South Windfarm	INV	GU_401140	GALWAY	110	0.991	0.989	0.992	0.990	0.991	0.989	0.988	0.986	0.991	0.988	0.991	0.989	0.992	0.993	0.993	0.994	0.994	0.995	0.994	0.993	0.992	0.993	0.993	0.995				
INDAVER	IW1	GU_401230	DRYBRIDGE	110	1.002	1.000	1.003	1.001	1.003	1.002	1.003	1.003	1.004	1.002	1.002	1.001	1.001	1.000	0.999	0.999	1.000	1.000	0.998	0.999	1.000	0.999	1.001	1.001				
Knockacummer 1 WF	KC1	GU_401450	GLENLARA	110	0.988	0.983	0.989	0.986	0.988	0.984	0.989	0.985	0.988	0.984	0.988	0.985	0.992	0.991	0.997	0.995	0.994	0.992	1.002	0.997	0.995	0.992	0.998	0.994				
Kingsmountain 2 WF	KG2	GU_400021	CUNGHILL	110	0.998	0.989	0.998	0.989	0.998	0.990	0.998	0.990	0.999	0.991	0.998	0.990	0.995	0.992	0.995	0.992	0.993	0.990	0.992	0.989	0.992	0.989	0.995	0.990				
Kingsmountain 1 WF	KGM	GU_400020	CUNGHILL	110	0.998	0.989	0.998	0.989	0.998	0.990	0.998	0.990	0.999	0.991	0.998	0.990	0.995	0.992	0.995	0.992	0.993	0.990	0.992	0.989	0.992	0.989	0.995	0.990				
Knocknagoum 1 WF	KM1	GU_401350	REAMORE	110	0.979	0.977	0.979	0.977	0.979	0.976	0.979	0.975	0.979	0.975	0.978	0.975	0.981	0.983	0.985	0.985	0.984	0.984	0.988	0.986	0.983	0.984	0.985	0.986				
Knockawarriga 1 WF	KW1	GU_400630	TRIEN	110	0.981	0.977	0.981	0.977	0.980	0.977	0.981	0.977	0.981	0.976	0.979	0.976	0.983	0.984	0.986	0.987	0.986	0.986	0.990	0.987	0.984	0.985	0.987	0.987				
LEE UNIT 1	LE1	GU_400280	INISCARRA	110	0.983	0.981	0.984	0.984	0.981	0.981	0.982	0.982	0.981	0.981	0.982	0.982	0.988	0.990	0.995	0.994	0.991	0.991	1.002	0.998	0.993	0.992	0.995	0.994				
LEE UNIT 2	LE2	GU_400281	INISCARRA	110	0.983	0.981	0.984	0.984	0.981	0.981	0.982	0.982	0.981	0.981	0.982	0.982	0.988	0.990	0.995	0.994	0.991	0.991	1.002	0.998	0.993	0.992	0.995	0.994				
LEE UNIT 3	LE3	GU_400290	CARRIGADROHID	110	0.982	0.980	0.983	0.983	0.981	0.980	0.982	0.981	0.981	0.980	0.981	0.981	0.986	0.988	0.993	0.992	0.990	0.989	0.999	0.995	0.991	0.990	0.993	0.992				
Leitir Guingaid Windfarm	LG1	GU_401500	SALTHILL	110	0.992	0.990	0.993	0.990	0.991	0.989	0.989	0.987	0.992	0.988	0.992	0.989	0.993	0.993	0.994	0.995	0.994	0.995	0.994	0.994	0.993	0.994	0.994	0.995				
LIFFEY UNIT 1	LI1	GU_400250	POLLAPHUCA	110	1.000	0.998	0.996	1.000	0.994	0.999	0.995	1.001	0.999	1.001	1.001	0.998	1.002	0.996	1.003	0.997	1.003	0.999	1.006	0.999	1.003	0.998	1.002	0.998				
LIFFEY UNIT 2	LI2	GU_400251	POLLAPHUCA	110	1.000	0.998	0.996	1.000	0.994	0.999	0.995	1.001	0.999	1.001	1.001	0.998	1.002	0.996	1.003	0.997	1.003	0.999	1.006	0.999	1.003	0.998	1.002	0.998				
LIFFEY UNIT 3	LI3	GU_401220	POLLAPHUCA	110	1.000	0.998	0.996	1.000	0.994	0.999	0.995	1.001	0.999	1.001	1.001	0.998	1.002	0.996	1.003	0.997	1.003	0.999	1.006	0.999	1.003	0.998	1.002	0.998				
LIFFEY UNIT 4	LI4	GU_400252	POLLAPHUCA	110	1.000	0.998	0.996	1.000	0.994	0.999	0.995	1.001	0.999	1.001	1.001	0.998	1.002	0.996	1.003	0.997	1.003	0.999	1.006	0.999	1.003	0.998	1.002	0.998				
LIFFEY UNIT 5	LI5	GU_400260	POLLAPHUCA	110	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000				
LOUGH REE UNIT 1	LR4	GU_400240	LANESBORO	110	0.979	0.972	0.980	0.972	0.980	0.974	0.980	0.974	0.981	0.974	0.980	0.973	0.982	0.977	0.987	0.982	0.980	0.975	0.981	0.974	0.980	0.975	0.981	0.975				
Lisheen 1 WF	LS1	GU_400840	LISHEEN	110	0.984	0.978	0.985	0.980	0.984	0.980	0.985	0.980	0.985	0.980	0.984	0.980	0.993	0.990	0.993	0.989	0.990	0.985	0.994	0.987	0.990	0.986	0.992	0.986				
Lisheen 2 WF	LS2	GU_401580	LISHEEN	110	0.984	0.978	0.985	0.980	0.984	0.980	0.985	0.980	0.985	0.980	0.984	0.980	0.993	0.990	0.993	0.989	0.990	0.985	0.994	0.987	0.990	0.986	0.992	0.986				
Meenachullalan 1 WF	MC1	GU_400610	BINBANE	110	0.992	0.985	0.993	0.984	0.994	0.984	0.995	0.984	0.994	0.986	0.993	0.986	0.990	0.998	0.990	0.995	0.987	0.991	0.984	0.989	0.985							

2014/2015 SINGLE ELECTRICITY MARKET PROPOSED TRANSMISSION LOSS ADJUSTMENT FACTORS - MARKET PARTICIPANTS																																
Market Participant - Transmission Connected	Unit ID TSO	Unit ID SEMO	Transmission Station	kV	Month																											
					October		November		December		January		February		March		April		May		June		July		August			September				
					Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night		
TURLOUGH HILL UNIT 2	TH2	GU_400361	TURLOUGH	220	0.991	0.998	0.991	0.998	0.990	0.998	0.990	0.998	0.991	0.997	0.991	0.998	0.991	0.999	0.991	1.000	0.992	1.000	0.992	1.000	0.991	1.001	0.991	0.991	0.991	0.998		
TURLOUGH HILL UNIT 3	TH3	GU_400362	TURLOUGH	220	0.991	0.998	0.991	0.998	0.990	0.998	0.990	0.998	0.991	0.997	0.991	0.998	0.991	0.999	0.991	1.000	0.992	1.000	0.992	1.000	0.991	1.001	0.991	0.991	0.991	0.998		
TURLOUGH HILL UNIT 4	TH4	GU_400363	TURLOUGH	220	0.991	0.998	0.991	0.998	0.990	0.998	0.990	0.998	0.991	0.997	0.991	0.998	0.991	0.999	0.991	1.000	0.992	1.000	0.992	1.000	0.991	1.001	0.991	0.991	0.991	0.998		
Tournafulla 2 WF	TN2	GU_400600	TRIEN	110	0.981	0.977	0.981	0.977	0.980	0.977	0.981	0.977	0.981	0.976	0.979	0.976	0.983	0.984	0.986	0.987	0.986	0.986	0.990	0.987	0.984	0.985	0.987	0.987	0.987	0.987		
TAWNAGHMORE PEAKING	TP1	GU_400780	TAWNAGHMORE	110	1.002	0.993	1.003	0.994	1.004	0.995	1.006	0.996	1.005	0.997	1.003	0.995	1.002	0.997	1.002	0.996	1.001	0.995	0.999	0.993	0.999	0.993	1.002	0.995	0.995	0.995		
TAWNAGHMORE PEAKING	TP3	GU_400781	TAWNAGHMORE	110	1.002	0.993	1.003	0.994	1.004	0.995	1.006	0.996	1.005	0.997	1.003	0.995	1.002	0.997	1.002	0.996	1.001	0.995	0.999	0.993	0.999	0.993	1.002	0.995	0.995	0.995		
Taurbeg 1 WF	TR1	GU_400410	GLENLARA	110	0.988	0.983	0.989	0.986	0.988	0.984	0.989	0.985	0.988	0.984	0.988	0.985	0.992	0.991	0.997	0.995	0.994	0.992	1.002	0.997	0.995	0.992	0.998	0.994	0.994	0.994		
Tursillagh 1 WF	TUR	GU_401260	TRALEE	110	0.980	0.977	0.980	0.978	0.979	0.977	0.980	0.976	0.979	0.976	0.979	0.976	0.982	0.984	0.985	0.986	0.985	0.985	0.989	0.987	0.984	0.985	0.986	0.986	0.986	0.986		
TYNAGH ENERGY LTD	TYC	GU_400530	TYNAGH	220	0.984	0.985	0.985	0.985	0.982	0.984	0.977	0.979	0.983	0.982	0.984	0.983	0.985	0.988	0.986	0.989	0.987	0.990	0.987	0.989	0.986	0.989	0.986	0.990	0.990	0.990		
Whitegate 1	WG1	GU_400930	GLANAGOW	220	0.982	0.980	0.983	0.983	0.980	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.986	0.988	0.995	0.993	0.990	0.989	1.002	0.998	0.993	0.991	0.995	0.993	0.993	0.993		
WEST OFFALY UNIT 1	WO4	GU_400370	SHANNONB	110	0.980	0.974	0.981	0.975	0.981	0.976	0.981	0.976	0.981	0.975	0.980	0.975	0.991	0.988	0.988	0.983	0.983	0.979	0.986	0.980	0.984	0.980	0.984	0.979	0.979	0.979		
Carrowleagh 1 WF	XR1	GU_401280	GLENREE	110	0.999	0.990	1.000	0.990	1.000	0.991	1.001	0.992	1.001	0.993	0.999	0.992	0.998	0.993	0.998	0.993	0.997	0.991	0.995	0.989	0.995	0.990	0.997	0.991	0.991	0.991		
Ballylumford	B4	GU_500282	Ballylumford	275	1.003	0.999	1.001	0.999	1.001	0.999	1.002	1.000	1.001	1.000	1.002	1.000	0.999	0.998	0.998	0.995	0.999	0.995	0.994	0.993	0.998	0.994	0.997	0.994	0.994	0.994		
Ballylumford	B5	GU_500281	Ballylumford	275	1.003	0.999	1.001	0.999	1.001	0.999	1.002	1.000	1.001	1.000	1.002	1.000	0.999	0.998	0.998	0.995	0.999	0.995	0.994	0.993	0.998	0.994	0.997	0.994	0.994	0.994		
Ballylumford	B6	GU_500280	Ballylumford	275	1.003	0.999	1.001	0.999	1.001	0.999	1.002	1.000	1.001	1.000	1.002	1.000	0.999	0.998	0.998	0.995	0.999	0.995	0.994	0.993	0.998	0.994	0.997	0.994	0.994	0.994		
Ballylumford	GT1	GU_500283	Ballylumford	110	0.999	0.997	0.999	0.998	0.999	0.999	0.999	1.000	0.999	1.000	1.000	0.999	0.995	0.994	0.996	0.993	0.998	0.993	0.992	0.992	0.997	0.992	0.997	0.992	0.992	0.992		
Ballylumford	GT2	GU_500284	Ballylumford	110	0.999	0.997	0.999	0.998	0.999	0.999	0.999	1.000	0.999	1.000	1.000	0.999	0.995	0.994	0.996	0.993	0.998	0.993	0.992	0.992	0.997	0.992	0.997	0.992	0.992	0.992		
Ballylumford	B10	GU_500140	Ballylumford	110	0.999	0.997	0.999	0.998	0.999	0.999	0.999	1.000	0.999	1.000	1.000	0.999	0.995	0.994	0.996	0.993	0.998	0.993	0.992	0.992	0.997	0.992	0.997	0.992	0.992	0.992		
Ballylumford Combined	B31	GU_500130/1	Ballylumford	275	1.003	0.999	1.001	0.999	1.001	0.999	1.002	1.000	1.001	1.000	1.002	1.000	0.999	0.998	0.998	0.995	0.999	0.995	0.994	0.993	0.998	0.994	0.997	0.994	0.994	0.994		
Coolkeeragh	C30	GU_500040	Coolkeeragh	275	0.996	0.992	0.996	0.993	0.996	0.993	0.996	0.994	0.995	0.993	0.995	0.993	0.993	0.992	0.992	0.988	0.992	0.989	0.988	0.988	0.991	0.987	0.991	0.988	0.988	0.988		
Coolkeeragh	GT8	GU_500041	Coolkeeragh	110	0.994	0.991	0.994	0.991	0.994	0.990	0.995	0.991	0.993	0.991	0.994	0.991	0.991	0.990	0.990	0.987	0.990	0.987	0.986	0.986	0.989	0.985	0.989	0.986	0.986	0.986		
Kilroot	K1	GU_500822	Kilroot	275	1.002	0.998	1.000	0.998	1.001	0.998	1.001	0.999	1.000	0.999	1.001	0.999	0.999	0.998	0.997	0.994	0.998	0.994	0.993	0.993	0.997	0.993	0.996	0.994	0.994	0.994		
Kilroot	K2	GU_500823	Kilroot	275	1.002	0.998	1.000	0.998	1.001	0.998	1.001	0.999	1.000	0.999	1.001	0.999	0.999	0.998	0.997	0.994	0.998	0.994	0.993	0.993	0.997	0.993	0.996	0.994	0.994	0.994		
Kilroot	KGT1	GU_500824	Kilroot	275	1.002	0.998	1.000	0.998	1.001	0.998	1.001	0.999	1.000	0.999	1.001	0.999	0.999	0.998	0.997	0.994	0.998	0.994	0.993	0.993	0.997	0.993	0.996	0.994	0.994	0.994		
Kilroot	KGT2	GU_500825	Kilroot	275	1.002	0.998	1.000	0.998	1.001	0.998	1.001	0.999	1.000	0.999	1.001	0.999	0.999	0.998	0.997	0.994	0.998	0.994	0.993	0.993	0.997	0.993	0.996	0.994	0.994	0.994		
Kilroot	KGT3	GU_500820	Kilroot	275	1.002	0.998	1.000	0.998	1.001	0.998	1.001	0.999	1.000	0.999	1.001	0.999	0.999	0.998	0.997	0.994	0.998	0.994	0.993	0.993	0.997	0.993	0.996	0.994	0.994	0.994		
Kilroot	KGT4	GU_500821	Kilroot	275	1.002	0.998	1.000	0.998	1.001	0.998	1.001	0.999	1.000	0.999	1.001	0.999	0.999	0.998	0.997	0.994	0.998	0.994	0.993	0.993	0.997	0.993	0.996	0.994	0.994	0.994		
Moyle		GU_500200	Moyle (Ballycron)	275	0.994	0.990	0.992	0.990	0.993	0.991	0.993	0.991	0.992	0.991	0.993	0.991	0.990	0.989	0.989	0.986	0.990	0.986	0.985	0.984	0.989	0.985	0.988	0.985	0.985	0.985		
Altahullion (1)		GU_500210	Limavady	110	1.001	0.995	1.000	0.995																								

2014-2015 SINGLE ELECTRICITY MARKET TRANSMISSION LOSS ADJUSTMENT FACTORS - PROPOSED TRANSMISSION NODE TLAFs

		Month																							
		Oct		Nov		Dec		Jan		Feb		Mar		Apr		May		Jun		Jul		Aug		Sep	
Station Name	kV	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
DEESIDE	400	0.967	0.981	0.968	0.979	0.968	0.979	0.965	0.977	0.967	0.978	0.967	0.977	0.969	0.979	0.968	0.981	0.971	0.989	0.970	0.982	0.971	0.986	0.969	0.989
ARDNACRUSHA	110	0.982	0.983	0.982	0.982	0.981	0.980	0.981	0.979	0.981	0.981	0.982	0.983	0.986	0.988	0.990	0.991	0.989	0.989	0.993	0.991	0.988	0.989	0.989	0.990
AGHADA	220	0.982	0.980	0.983	0.983	0.980	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.986	0.988	0.995	0.993	0.990	0.989	1.002	0.998	0.993	0.991	0.995	0.993
ARIGNA	110	0.992	0.986	0.992	0.986	0.992	0.986	0.992	0.986	0.993	0.987	0.992	0.987	0.992	0.990	0.993	0.990	0.992	0.989	0.990	0.987	0.990	0.987	0.991	0.988
AGANNYGAL	110	0.977	0.974	0.978	0.974	0.978	0.974	0.977	0.973	0.978	0.974	0.978	0.974	0.984	0.983	0.984	0.982	0.981	0.979	0.984	0.980	0.981	0.979	0.982	0.980
ARKLOW	110	0.995	0.994	0.995	0.994	0.993	0.994	0.992	0.995	0.995	0.994	0.995	0.995	0.995	0.996	0.995	0.997	0.995	0.997	0.997	0.998	0.995	0.998	0.995	0.997
ARKLOW	220	0.995	0.994	0.995	0.994	0.993	0.993	0.992	0.994	0.995	0.994	0.995	0.995	0.995	0.996	0.995	0.997	0.996	0.997	0.997	0.998	0.996	0.998	0.996	0.997
ATHEA	110	0.975	0.977	0.976	0.977	0.975	0.975	0.973	0.973	0.974	0.973	0.974	0.974	0.977	0.979	0.979	0.982	0.980	0.982	0.983	0.983	0.979	0.982	0.979	0.982
ATHLONE	110	0.982	0.976	0.984	0.977	0.984	0.978	0.984	0.978	0.984	0.978	0.983	0.977	0.993	0.988	0.991	0.985	0.986	0.979	0.988	0.981	0.986	0.980	0.987	0.980
AUGHINISH	110	0.967	0.967	0.967	0.967	0.967	0.966	0.966	0.964	0.967	0.965	0.967	0.966	0.970	0.971	0.974	0.975	0.973	0.972	0.976	0.974	0.972	0.973	0.973	0.974
ARVA	110	1.006	0.999	1.005	0.999	1.007	1.000	1.007	1.001	1.007	1.001	1.006	1.000	1.004	1.000	1.003	0.998	1.003	0.997	1.000	0.996	1.002	0.996	1.003	0.997
BALLYVOUSKILL	110	0.978	0.977	0.978	0.979	0.976	0.976	0.977	0.976	0.976	0.975	0.977	0.976	0.981	0.982	0.986	0.986	0.984	0.984	0.991	0.988	0.984	0.984	0.986	0.986
BALLYVOUSKILL	220	0.978	0.977	0.979	0.979	0.977	0.976	0.977	0.976	0.976	0.975	0.977	0.976	0.981	0.983	0.986	0.986	0.984	0.984	0.991	0.989	0.985	0.985	0.986	0.986
ATHY	110	0.995	0.990	0.995	0.991	0.995	0.993	0.994	0.993	0.995	0.992	0.995	0.992	0.997	0.993	0.997	0.992	0.996	0.992	0.999	0.994	0.999	0.995	0.997	0.991
BALLYWATER	110	0.994	0.991	0.994	0.992	0.991	0.991	0.990	0.992	0.993	0.992	0.994	0.993	0.994	0.993	0.995	0.995	0.995	0.994	0.998	0.996	0.995	0.995	0.996	0.994
BOOLTIAGH	110	0.979	0.980	0.980	0.980	0.979	0.978	0.977	0.976	0.979	0.977	0.979	0.978	0.981	0.983	0.983	0.985	0.984	0.985	0.986	0.986	0.982	0.985	0.983	0.986
BALTRASNA	110	0.999	0.999	1.000	1.000	1.000	1.000	1.000	1.001	1.001	1.000	1.000	0.999	0.998	0.999	0.996	0.998	0.998	0.999	0.997	0.998	0.997	0.999	0.998	1.000
BALLYLICKY	110	0.983	0.980	0.984	0.983	0.982	0.980	0.985	0.982	0.982	0.980	0.982	0.981	0.985	0.985	0.990	0.989	0.988	0.986	0.998	0.992	0.988	0.987	0.991	0.989
BALLYBEG	110	0.996	0.995	0.996	0.995	0.994	0.995	0.994	0.996	0.996	0.995	0.996	0.996	0.995	0.997	0.995	0.997	0.995	0.998	0.997	0.998	0.996	0.998	0.995	0.997
BLAKE	110	0.993	0.990	0.994	0.990	0.996	0.993	0.994	0.992	0.995	0.991	0.994	0.991	0.995	0.993	0.993	0.991	0.993	0.992	0.995	0.993	0.997	0.996	0.993	0.991
BINBANE	110	0.992	0.985	0.993	0.984	0.994	0.984	0.995	0.984	0.994	0.986	0.993	0.986	0.990	0.998	0.990	0.995	0.987	0.991	0.984	0.989	0.985	0.989	0.986	0.990
BARODA	110	0.994	0.990	0.995	0.990	0.997	0.994	0.996	0.993	0.996	0.992	0.995	0.992	0.997	0.994	0.994	0.991	0.994	0.991	0.997	0.994	0.999	0.997	0.994	0.991
BALLYDINE	110	0.994	0.990	0.995	0.991	0.992	0.990	0.992	0.991	0.993	0.991	0.993	0.991	0.998	0.995	1.001	0.997	0.999	0.995	1.005	0.998	0.999	0.995	1.001	0.996
BELLACORRICK	110	1.003	0.995	1.005	0.997	1.005	0.998	1.006	0.998	1.007	0.999	1.004	0.997	1.005	0.999	1.006	0.999	1.005	0.998	1.004	0.996	1.003	0.996	1.006	0.998
BANDON	110	0.988	0.985	0.989	0.989	0.987	0.986	0.991	0.988	0.987	0.986	0.987	0.987	0.994	0.993	1.000	0.997	0.997	0.994	1.008	1.001	0.997	0.995	1.001	0.997
BARRYMORE	110	0.987	0.983	0.988	0.986	0.985	0.983	0.986	0.984	0.984	0.982	0.985	0.983	0.990	0.990	0.997	0.994	0.993	0.991	1.003	0.997	0.995	0.992	0.997	0.993
BUTLERST	110	0.995	0.992	0.996	0.994	0.991	0.991	0.989	0.992	0.994	0.993	0.994	0.994	0.998	0.997	1.002	1.000	1.000	0.998	1.005	1.001	1.000	0.999	1.002	0.999
BRINNY	110	0.988	0.986	0.989	0.989	0.987	0.986	0.991	0.988	0.987	0.986	0.987	0.987	0.994	0.993	1.000	0.997	0.997	0.994	1.008	1.001	0.997	0.995	1.001	0.997
KNOCKNAGASHEL	110	0.976	0.977	0.976	0.978	0.975	0.976	0.973																	

2014-2015 SINGLE ELECTRICITY MARKET TRANSMISSION LOSS ADJUSTMENT FACTORS - PROPOSED TRANSMISSION NODE TLAFs																									
		Month																							
		Oct		Nov		Dec		Jan		Feb		Mar		Apr		May		Jun		Jul		Aug		Sep	
Station Name	kV	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
NORTH KERRY	220	0.976	0.978	0.977	0.978	0.975	0.976	0.974	0.974	0.975	0.974	0.975	0.975	0.978	0.981	0.981	0.984	0.981	0.984	0.984	0.985	0.980	0.983	0.981	0.984
KNOCKRAHA	220	0.983	0.981	0.984	0.984	0.981	0.980	0.982	0.982	0.981	0.980	0.982	0.982	0.988	0.989	0.995	0.993	0.991	0.990	1.001	0.997	0.993	0.991	0.995	0.993
KNOCKRAHA	110	0.983	0.981	0.984	0.984	0.981	0.981	0.983	0.982	0.981	0.981	0.982	0.982	0.988	0.989	0.995	0.994	0.991	0.990	1.002	0.998	0.993	0.991	0.996	0.993
KNOCKAVANNA	110	0.976	0.972	0.976	0.972	0.976	0.972	0.975	0.971	0.976	0.972	0.976	0.972	0.982	0.981	0.982	0.980	0.980	0.977	0.982	0.978	0.979	0.978	0.980	0.978
KILBARRY	110	0.984	0.982	0.986	0.985	0.983	0.982	0.985	0.984	0.983	0.982	0.984	0.983	0.990	0.991	0.997	0.995	0.993	0.992	1.004	0.999	0.995	0.993	0.998	0.995
KILTEEL	110	0.998	0.995	0.998	0.995	1.000	0.998	0.999	0.997	0.999	0.996	0.999	0.996	0.998	0.997	0.997	0.996	0.996	0.996	0.999	0.997	1.000	1.000	0.996	0.995
REAMORE	110	0.979	0.977	0.979	0.977	0.979	0.976	0.979	0.975	0.979	0.975	0.978	0.975	0.981	0.983	0.985	0.985	0.984	0.984	0.988	0.986	0.983	0.984	0.985	0.986
KILKENNY	110	1.007	1.003	1.007	1.005	1.002	1.003	1.003	1.005	1.007	1.005	1.005	1.005	1.008	1.004	1.011	1.006	1.011	1.005	1.014	1.007	1.011	1.006	1.013	1.005
KILLONAN	110	0.983	0.982	0.983	0.982	0.982	0.981	0.982	0.980	0.982	0.980	0.982	0.982	0.987	0.988	0.990	0.990	0.989	0.989	0.993	0.991	0.989	0.989	0.990	0.990
KILLONAN	220	0.982	0.981	0.982	0.982	0.981	0.980	0.981	0.979	0.981	0.979	0.982	0.981	0.986	0.987	0.989	0.989	0.988	0.987	0.992	0.990	0.987	0.988	0.989	0.989
KNOCKERAGH	110	0.983	0.979	0.983	0.981	0.982	0.979	0.983	0.980	0.982	0.979	0.982	0.979	0.986	0.987	0.990	0.990	0.989	0.988	0.995	0.991	0.989	0.988	0.991	0.990
KNOCKUMBER	110	1.006	1.003	1.006	1.004	1.006	1.004	1.006	1.005	1.006	1.005	1.006	1.005	1.006	1.004	1.003	1.003	1.002	1.002	1.003	1.002	1.001	1.001	1.002	1.002
BALLYNAHULLA	110	0.978	0.977	0.978	0.979	0.976	0.976	0.976	0.975	0.976	0.975	0.977	0.976	0.980	0.982	0.985	0.985	0.983	0.984	0.989	0.987	0.983	0.984	0.985	0.985
BALLYNAHULLA	220	0.978	0.977	0.978	0.979	0.976	0.976	0.976	0.976	0.976	0.975	0.977	0.976	0.980	0.982	0.985	0.985	0.983	0.984	0.989	0.987	0.983	0.984	0.985	0.985
KELLIS	110	0.996	0.995	0.995	0.996	0.993	0.995	0.992	0.996	0.995	0.996	0.995	0.996	0.996	0.996	0.997	0.998	0.997	0.998	1.000	0.999	0.997	0.998	0.998	0.997
KELLIS	220	0.994	0.994	0.994	0.994	0.992	0.993	0.991	0.994	0.994	0.994	0.994	0.994	0.995	0.996	0.996	0.997	0.996	0.997	0.999	0.998	0.997	0.997	0.997	0.997
KINNEGAD	110	0.996	0.993	0.997	0.994	0.997	0.996	0.997	0.996	0.997	0.995	0.996	0.995	0.996	0.994	0.995	0.994	0.995	0.994	0.996	0.994	0.997	0.996	0.995	0.993
KILLOTER	110	0.995	0.992	0.996	0.994	0.991	0.991	0.989	0.992	0.994	0.993	0.994	0.994	0.998	0.997	1.002	1.000	1.000	0.998	1.005	1.001	1.000	0.999	1.002	0.999
KILPADDOGE	220	0.977	0.979	0.977	0.979	0.976	0.977	0.975	0.975	0.976	0.975	0.976	0.976	0.979	0.982	0.982	0.985	0.982	0.985	0.984	0.985	0.981	0.984	0.981	0.985
LANESBORO	110	0.979	0.972	0.980	0.972	0.980	0.974	0.980	0.974	0.981	0.974	0.980	0.973	0.982	0.977	0.987	0.982	0.980	0.975	0.981	0.974	0.980	0.975	0.981	0.975
LOUTHA	110	1.002	0.999	1.002	0.999	1.002	1.000	1.002	1.001	1.002	1.000	1.001	0.999	1.000	0.999	0.998	0.997	0.999	0.997	0.996	0.996	0.999	0.996	0.999	0.997
LOUTH	220	1.001	0.998	1.001	0.998	1.001	0.999	1.001	1.000	1.001	0.999	1.001	0.999	0.999	0.998	0.998	0.996	0.998	0.996	0.995	0.995	0.998	0.996	0.998	0.996
LIMERICK	110	0.981	0.981	0.982	0.981	0.981	0.980	0.981	0.978	0.981	0.979	0.981	0.981	0.985	0.987	0.989	0.989	0.988	0.988	0.992	0.990	0.987	0.988	0.989	0.989
LISDRUM	110	1.011	1.002	1.010	1.003	1.012	1.004	1.013	1.005	1.012	1.005	1.011	1.004	1.009	1.003	1.008	1.001	1.008	1.000	1.005	0.999	1.007	0.999	1.008	1.000
LETRKENY	110	0.992	0.984	0.993	0.983	0.994	0.984	0.995	0.985	0.994	0.986	0.993	0.986	0.989	0.991	0.988	0.988	0.986	0.984	0.982	0.982	0.983	0.982	0.985	0.983
LISHEEN	110	0.984	0.978	0.985	0.980	0.984	0.980	0.985	0.980	0.985	0.980	0.985	0.980	0.993	0.990	0.993	0.989	0.990	0.985	0.994	0.987	0.990	0.986	0.992	0.986
LODGEWOOD	110	0.994	0.992	0.994	0.992	0.991	0.991	0.989	0.992	0.993	0.992	0.993	0.992	0.993	0.994	0.994	0.996	0.996	0.995	0.995	0.998	0.997	0.996	0.996	0.995
LODGEWOOD	220	0.994	0.992	0.995	0.993	0.991	0.992	0.990	0.993	0.994	0.993	0.994	0.993	0.994	0.995	0.995	0.997	0.997	0.996	0.999	0.998	0.997	0.997	0.997	0.996
MACETOWN	110	0.996	0.997	0.998	0.998	0.998	0.999	0.997	0.999	0.998															

2014-2015 SINGLE ELECTRICITY MARKET TRANSMISSION LOSS ADJUSTMENT FACTORS - PROPOSED TRANSMISSION NODE TLAFs																									
		Month																							
		Oct		Nov		Dec		Jan		Feb		Mar		Apr		May		Jun		Jul		Aug		Sep	
Station Name	kV	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
Banbridge	110	1.008	1.004	1.007	1.003	1.008	1.004	1.009	1.005	1.008	1.005	1.008	1.005	1.005	1.002	1.004	0.999	1.004	0.999	1.000	0.998	1.003	0.998	1.003	0.999
Ballyvallagh	110	1.003	0.999	1.002	1.000	1.002	1.000	1.002	1.001	1.002	1.001	1.003	1.001	0.999	0.997	0.999	0.995	1.000	0.995	0.994	0.993	0.999	0.994	0.998	0.995
Ballynahinch	110	1.013	1.007	1.012	1.006	1.013	1.008	1.014	1.009	1.013	1.009	1.013	1.008	1.009	1.006	1.007	1.002	1.008	1.002	1.003	1.000	1.007	1.001	1.007	1.002
Carnmoney	110	1.007	1.003	1.006	1.003	1.007	1.004	1.008	1.005	1.007	1.005	1.007	1.005	1.003	1.000	1.002	0.998	1.004	0.998	0.998	0.996	1.002	0.997	1.002	0.998
Castlereagh	110	1.008	1.003	1.007	1.002	1.008	1.003	1.009	1.005	1.007	1.004	1.007	1.004	1.005	1.002	1.003	0.999	1.004	0.999	0.999	0.997	1.003	0.998	1.003	0.998
Castlereagh	275	1.005	1.001	1.004	1.000	1.005	1.001	1.005	1.002	1.004	1.002	1.005	1.002	1.002	1.000	1.001	0.997	1.001	0.997	0.997	0.995	1.000	0.996	1.000	0.996
Belfast Central	110	1.009	1.003	1.007	1.003	1.008	1.004	1.009	1.005	1.008	1.005	1.008	1.004	1.005	1.003	1.004	0.999	1.005	0.999	1.000	0.998	1.003	0.998	1.003	0.999
Coleraine	110	1.004	0.997	1.004	0.997	1.005	0.998	1.006	0.999	1.004	0.999	1.004	0.998	1.000	0.994	0.998	0.990	0.999	0.990	0.994	0.989	0.998	0.989	0.998	0.990
COOL1-	110	0.994	0.991	0.994	0.991	0.994	0.990	0.995	0.991	0.993	0.991	0.994	0.991	0.991	0.990	0.990	0.987	0.990	0.987	0.986	0.986	0.989	0.985	0.989	0.986
Coolkeeragh	275	0.996	0.992	0.996	0.993	0.996	0.993	0.996	0.994	0.995	0.993	0.995	0.993	0.993	0.992	0.992	0.988	0.992	0.989	0.988	0.988	0.991	0.987	0.991	0.988
Creagh	110	1.007	1.002	1.005	1.001	1.006	1.002	1.007	1.003	1.006	1.003	1.006	1.003	1.005	1.001	1.003	0.997	1.004	0.997	0.999	0.996	1.003	0.996	1.003	0.997
Cregagh	110	1.009	1.003	1.007	1.003	1.008	1.004	1.009	1.005	1.008	1.005	1.008	1.004	1.005	1.003	1.004	0.999	1.004	0.999	1.000	0.998	1.003	0.998	1.003	0.999
Donegal	110	1.007	1.003	1.006	1.002	1.007	1.003	1.007	1.004	1.006	1.004	1.007	1.004	1.004	1.002	1.002	0.998	1.003	0.998	0.998	0.997	1.002	0.997	1.002	0.998
Drumnakelly	110	1.006	1.002	1.005	1.001	1.006	1.002	1.006	1.003	1.006	1.003	1.006	1.002	1.003	1.001	1.002	0.998	1.002	0.998	0.998	0.996	1.001	0.997	1.001	0.997
Dungannon	110	1.005	1.000	1.004	0.999	1.004	1.000	1.005	1.001	1.004	1.001	1.004	1.000	1.002	0.999	1.000	0.995	1.001	0.995	0.997	0.994	1.000	0.994	1.000	0.995
Eden	110	1.005	1.001	1.004	1.002	1.005	1.003	1.005	1.004	1.004	1.003	1.005	1.003	1.000	0.998	1.000	0.996	1.002	0.997	0.996	0.995	1.001	0.995	1.000	0.996
Enniskillen	110	1.002	0.992	1.002	0.992	1.003	0.992	1.005	0.994	1.003	0.994	1.002	0.993	1.000	0.993	0.998	0.990	0.998	0.989	0.994	0.987	0.996	0.988	0.998	0.989
Finaghy	110	1.007	1.002	1.005	1.002	1.006	1.003	1.006	1.004	1.005	1.003	1.006	1.003	1.003	1.001	1.002	0.998	1.002	0.998	0.998	0.996	1.001	0.997	1.001	0.997
Glengormley	110	1.006	1.002	1.004	1.001	1.004	1.002	1.005	1.003	1.004	1.002	1.004	1.002	1.002	1.000	1.000	0.996	1.001	0.996	0.996	0.995	1.000	0.995	1.000	0.996
Hannahstown	110	1.006	1.002	1.005	1.001	1.006	1.002	1.006	1.003	1.005	1.003	1.005	1.003	1.003	1.001	1.001	0.998	1.002	0.998	0.997	0.996	1.001	0.997	1.001	0.997
Hannahstown	275	1.005	1.000	1.004	1.000	1.004	1.001	1.005	1.002	1.004	1.002	1.004	1.001	1.002	1.000	1.000	0.997	1.001	0.997	0.996	0.995	1.000	0.996	1.000	0.996
Kells	110	1.004	1.000	1.002	0.999	1.002	1.000	1.003	1.001	1.002	1.000	1.002	1.000	1.000	0.998	0.999	0.995	0.999	0.995	0.995	0.993	0.998	0.994	0.998	0.994
Kells	275	1.003	0.999	1.001	0.998	1.001	0.999	1.002	1.000	1.001	0.999	1.001	0.999	0.999	0.998	0.998	0.994	0.998	0.994	0.994	0.993	0.997	0.993	0.997	0.994
KILL1- CL	110	0.993	0.989	0.993	0.989	0.993	0.988	0.994	0.989	0.993	0.989	0.993	0.989	0.990	0.989	0.989	0.986	0.989	0.985	0.985	0.984	0.987	0.984	0.988	0.985
KILR2-	275	1.002	0.998	1.000	0.998	1.001	0.998	1.001	0.999	1.000	0.999	1.001	0.999	0.999	0.998	0.997	0.994	0.998	0.994	0.993	0.993	0.997	0.993	0.996	0.994
Knock	110	1.010	1.004	1.008	1.004	1.009	1.005	1.010	1.006	1.009	1.006	1.009	1.005	1.006	1.003	1.004	1.000	1.005	1.000	1.000	0.998	1.004	0.999	1.004	0.999
Larne	110	1.003	1.000	1.003	1.000	1.003	1.001	1.003	1.002	1.003	1.002	1.003	1.001	1.000	0.998	0.999	0.995	1.001	0.996	0.995	0.994	0.999	0.994	0.999	0.995
Limavady	110	1.001	0.995	1.000	0.995	1.001	0.995	1.002	0.996	1.001	0.996	1.001	0.995	0.996	0.992	0.995	0.988	0.996	0.988	0.991	0.987	0.994	0.987	0.995	0.988
Lisburn	110	1.008	1.003	1.006	1.003	1.007	1.004	1.008	1.005	1.007	1.005	1.007	1.004	1.004	1.002	1.003	0.999	1.004	0.999	0.999	0.997	1.002	0.998	1.002	0.998
Lisaghmore	110	0.996	0.992	0.996	0.992	0.996	0.992	0.996	0.993	0.995	0.993	0.996	0.992	0.992	0.992	0.991	0.988	0.991	0.988	0.988	0.987	0.990	0.987	0.990	0.987
Loguestown	110	1.006	0.998	1.005	0.998	1.006	0.999	1.007	1.000	1.006	1.000	1.006	0.999	1.001	0.995	1.000	0.991	1.000	0.991	0.995	0.990	0.999	0.990	0.999	0.991
Magherafelt	275	1.002	0.998	1.001	0.998	1.001	0.998	1.001	0.999	1.001	0.999	1.001	0.998	0.999	0.997	0.997	0.994	0.998	0.994	0.994	0.993	0.997	0.993	0.997	0.994
Magherakeel	110	0.989	0.982	0.989	0.981	0.986	0.978	0.987	0.979	0.986	0.979	0.985	0.979	0.982	0.976	0.981	0.973	0.981	0.972	0.977	0.971	0.979	0.971	0.980	0.972
Mid-Antrim	110	1.004	0.999	1.003	0.998	1.004	0.999	1.005	1.000	1.004	1.000	1.004	1.000	1.000	0.996	0.999	0.992	0.999	0.992	0.994	0.991	0.998	0.991	0.998	0.992
Moyle (Ballycronan M	275	0.994	0.990	0.992	0.990	0.993	0.991	0.993	0.991	0.992	0.991	0.993	0.991	0.990	0.989	0.989	0.986	0.990	0.986	0.985	0.984	0.989	0.985	0.988	0.985
Newtownards	110	1.011	1.006	1.010	1.005	1.011	1.006	1.011	1.007	1.010	1.007	1.010	1.006	1.007	1.004	1.006	1.001	1.006	1.001	1.001	0.999	1.005	1.000	1.005	1.000
Newry	110	1.012	1.006	1.011	1.006	1.012	1.007	1.013	1.009	1.012	1.008	1.012	1.008	1.009	1.005	1.007	1.002	1.008	1.002	1.003	1.001	1.007	1.001	1.007	1.002
Omagh	110	0.998	0.991	0.998	0.990	0.998	0.990	0.999	0.991	0.998	0.991	0.997	0.991	0.994	0.989	0.993	0.986	0.993	0.986	0.989	0.984	0.991	0.984	0.992	0.985
Rathgael	110	1.014	1.007	1.012	1.007	1.013	1.008	1.014	1.009	1.013	1.009	1.013	1.008	1.009	1.006	1.008	1.002	1.008							